



N-15 NMR Spectroscopy as a Method for Comparing the Rates of Imidization of Several Diamines (Paperback)

By-

Bibliogov, United States, 2013. Paperback. Book Condition: New. 246 x 189 mm. Language: English . Brand New Book ***** Print on Demand *****. The relative rates of the conversion of amideacid to imide was measured for a series or aromatic diamines that have been identified as potential replacements for 4,4 methylene dianiline (MDA) in high-temperature polyimides and polymer composites. These rates were compared with the N-15 NMR resonances of the unreacted amines. The initial rates of imidization track with the difference in chemical shift between the amine nitrogens in MDA and those in the subject diamines. This comparison demonstrated that N-15 NMR spectroscopy is appropriate for the rapid screening of candidate diamines to determine their reactivity relative to MDA, and can serve to provide guidance to the process of creating the timetemperature profiles used in processing these materials into polymer matrix composites.



Reviews

This composed ebook is wonderful. I could comprehended almost everything out of this composed e ebook. You may like just how the blogger publish this ebook.

-- Dr. Cesar Marquardt Jr.

It becomes an remarkable publication that I have possibly go through. Better then never, though i am quite late in start reading this one. I am just delighted to inform you that this is basically the best ebook we have study inside my individual existence and can be he greatest book for actually.

-- Dr. Torrey Osinski DVM